

000-734 braindumps IBM IBM certifications II

000-734: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

Practice Exam: 000-734 Exams

Exam Number/Code: 000-734

Exam Name: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

Questions and Answers: 102 Q&As

([IBM certifications II](#))



Exam : [000-734](#)

"DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows", also known as 000-734 exam, is a IBM certification. With the complete collection of exam questions, Passquick has assembled to take you through 102 Q&As to your 000-734 exam preparation. In the 000-734 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

The exam questions cover the latest real test and with all the correct answer. we promise the Q&A for IBM IBM certifications II 000-734 (DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows) examination of original title complete coverage. 000-734 exam questions help you pass the exam.

PassQuick 000-734 Feature:

* High quality - High quality and valued for the 000-734 Exam: 100% Guarantee to Pass Your 000-734 exam and get your IBM certifications II certification.

* Authoritative - Authoritative braindumps with complete details about 000-734 exam.

* Cheaper - Our PassQuick products are cheaper than any other website. With our completed IBM certifications II resources, you will minimize your **IBM IBM certifications II** cost and be ready to pass your 000-734 exam on Your First Try, 100% Money Back Guarantee included!

* Free - Try free IBM certifications II demo before you decide to buy it in <http://www.passquick.com>.

Passquick Guarantee:

Passquick provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the 000-734 exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

Free 000-734 Demo Download

PassQuick offers free demo for IBM certifications II 000-734 exam (DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows). You can check out the interface, question quality and usability of our practice exams before you decide to buy it. We are the only one site can offer demo for almost all products.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-734** examination of original title complete coverage.000-734 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

VUE/Prometric Code: 000-734

Exam Name: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows(IBM certifications II)

Questions and Answers: 102 Q&A

[IBM 000-734](#) Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the [IBM certifications II](#) certified topic, in there, you will see all related IBM certifications II certified subject of examination. PassQuick professional provide IBM certifications II 000-734 the newest Q&A, completely covers 000-734 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-734 tests on Your First Try, 100% Money Back Guarantee included!

Passquick Help You Pass Any IT Exam

[passquick.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-734

Title : DB2 9 Advanced DB Administrator for Linux, UNIX, and Windows

1. If the sort heap threshold parameter SHEAPTHRES_SHR is set to a value of 0, what will happen?

- A. All sorts will be done in a temporary table space.
- B. The shared sort memory allocation will be calculated by DB2.
- C. No shared memory is allocated for sorting.
- D. All sorts will be done in shared memory.

Answer: D

2. A database administrator wants to design a multi-partition database that can take advantage of both intra-partition parallelism and inter-partition parallelism. Which configuration will allow the use of these types of parallelism while using the least number of hardware components (servers, processors)?

- A. one server having at least two processors
- B. two servers having one processor and one logical database partition
- C. one server having four processors and two logical database partitions
- D. two servers each having four processors and two logical database partitions

Answer: C

3. Which server houses the database partitions in the AIX BCU V2.1?

- A. IBM System p5 570
- B. IBM System p5 575
- C. IBM System p5 590
- D. IBM System p5 595

Answer: B

4. Which data organization schemes are supported?

- A. PARTITION BY HASH and ORGANIZE BY
- B. PARTITION BY RANGE and ORGANIZE BY KEY SEQUENCE
- C. PARTITION BY HASH and ORGANIZE BY KEY SEQUENCE
- D. PARTITION BY RANGE and ORGANIZE BY

Answer: D

5. A batch application executes a large number of update statements. The service level agreement for the application states that the application must complete its work as quickly as possible to ensure that dependent workloads can start on time. What is one way to help the application complete quickly?

- A. Code the application to issue a LOCK TABLE statement.
- B. Code the application to issue a LOCK ROW statement.

- C. Decrease the number of I/O servers.
- D. Increase the locklist parameter.

Answer: A

6. What would indicate intra-partition parallelism in an Optimizer Plan?

- A. BTQ
- B. LTQ
- C. IP
- D. DTQ

Answer: B

7. Given a SHEAPTHRES value of 2560, in which two cases will a SHEAPTHRES_SHR value of 1024 be meaningful? (Choose two.)

- A. INTRA_PARALLEL NO
- B. MAX_CONNECTIONS 2000, MAX_COORDAGENTS 100
- C. MAX_AGENTS 100, MAX_CONNECTIONS 2000
- D. MAX_CONNECTIONS 500, MAX_COORDAGENTS 1000
- E. INTRA_PARALLEL YES

Answer: BE

8. If the ADD DBPARTITIONNUM command is used to add a new database partition to an existing DB2 instance, which statement is correct?

- A. All existing databases in the instance are expanded to the new database partition but data cannot be stored on the new partition until it has been added to a partition group.
- B. Database partition groups within existing databases will automatically include the new database partition and will redistribute their existing data to the new partition.
- C. Any single partition databases within the instance will automatically become multi-partition databases once the new partition is added to the instance.
- D. A database administrator would need to modify the db2nodes.cfg file to complete the addition of the new partition to the instance.

Answer: A

9. A database administrator needs to update a table named TRANSACT by removing February 2005 data and replacing it with February 2007 data. What are the proper steps, in the correct order, required to accomplish this?

- A. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) SET INTEGRITY FOR transact
- B. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '01/01/2007' ENDING '02/28/2007' FROM new table
4) SET INTEGRITY FOR transact
- C. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) RUNSTATS ON TABLE transact
- D. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) REORG TABLE transact

Answer: A

10. Table TAB1 was created using the following statement:

CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);

If column C1 is unique and queries typically access columns C1 and C2 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);
CREATE INDEX xtab2 ON tab1 (c3) INCLUDE (c2);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1);

Answer: A

11. Which statement is true about clustering indexes in a DPF environment?

- A. The partitioning key columns should be added to all indexes with the INCLUDE option.
- B. It is not possible to have a clustering index in a DPF environment.
- C. The index columns should be prefixed by the partitioning key columns.
- D. The partitioning key columns should be added immediately after the column in the index with the highest cardinality.

Answer: C

12. When is the connection concentrator enabled?

- A. When the value of MAX_CONNECTIONS is greater than the value of MAX_COORDAGENTS.
- B. When the value of MAX_AGENTS is greater than the value of MAX_CLIENTS.
- C. When the value of NUM_AGENTS is greater than the value of MAX_AGENTS.
- D. When the value of NUM_CONNECTIONS is greater than the value of NUM_COORDAGENTS.

Answer: A

13. Which procedure will successfully configure the memory areas within a database, including buffer pools, to use the Self Tuning Memory Manager (STMM)?

- A. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.
2) Set the relevant configuration parameters within the database configuration file to AUTOMATIC.
3) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.
- B. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.
2) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.
- C. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.

Answer: A

14. When a database administrator chooses the dimensions for an MDC table, which two characteristics should be considered? (Choose two.)

- A. the query transaction rate
- B. numeric data versus character data
- C. extent size
- D. the cardinality of the candidate columns
- E. prefetch size

Answer: CD

15. Which registry variable should be set to keep the buffer pools in memory on AIX and Linux?

- A. DB2_KEEP_BP
- B. DB2_PINNED_BP
- C. DB2MEMDISCLAIM
- D. DB2MEMMAXFREE

Answer: B

16. A database administrator would like to examine repartitioning options for a partitioned database named PRODDB. A workload has been captured on the system (Windows) and is stored in a file named WORKLOAD.SQL. What is the

proper command to run the Design Advisor so that it will evaluate the information stored in the file and give advice on re-partitioning?

- A. db2advise -d proddb -i workload.sql -P
- B. db2advise -d proddb -i workload.sql -partitioning
- C. db2advise -d proddb -i workload.sql -m P
- D. db2advise -d proddb -i workload.sql -m ALL

Answer: C

17. In which two environments would intra-partition parallelism be used? (Choose two.)

- A. Single database partition, single processor
- B. Single database partition, multiple processors
- C. Multiple database partitions, single processor
- D. Multiple database partitions, multiple processors

Answer: BD

18. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1, C2 and C3 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);
CREATE INDEX xtab2 ON tab1 (c2) INCLUDE (c3);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2, c3);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c3, c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1, c3);

Answer: B

19. Which action(s) will cause a compression dictionary to be removed from a table?

- A. Set the table COMPRESS attribute to NO.
- B. Set the table COMPRESS attribute to NO; run REORG against the table.
- C. Set the table COMPRESS attribute to NO; run INSPECTRESETDICTIONARY against the table.
- D. Set the table COMPRESS attribute to NO; run RUNSTATS against the table.

Answer: B

20. A database administrator needs to create a table with key columns C1 (i.e. YearDay), C2, and C3. This table needs to be partitioned by column C1 with three months per data partition. Additionally, data needs to be organized by columns C2 and C3, so that all rows within any three month date range are clustered together based on 12 months of data. Which CREATE TABLE statement will accomplish this objective?

- A. CREATE TABLE tab1
(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c2) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c2, c3)
- B. CREATE TABLE tab1
(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c2, c3)
- C. CREATE TABLE tab1
(c1 INT,

c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c2))
D. CREATE TABLE tab1
(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c3))
Answer: B

[000-734 Braindumps](#)

Related 000-734 Exams

- [000-903](#) *IBM Tivoli Netcool/xSM*

- [000-926](#) *IBM Certified Deployment Professional-Maximo V6 ITSM*

- [000-253](#) *Test253. IBM Web S.App.Svr.Ntwork Deveoyment V6.1.Core Admn*

- [000-331](#) *Power Systems Sales for AIX and Linux*

- [000-833](#) *Object Oriented Analysis and Design-Part1(Analysis)*

- [000-918](#) *System Administration for IBM Informix Dynamic Server V11*

- [000-798](#) *ib m tivoli monitoring for transaction perf v5.2 implement*

- [000-351](#) *ib m eserver i5 iseries single system adminsitration v5r3*

- [000-647](#) *Rational Performance Tester*

- [000-807](#) *Test 807, Web Services Dev for IBM Web Sphere App Server V6.1*

- [000-664](#) *Test664.SOA Fundamentals*

- [000-806](#) *IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn*

- [000-792](#) *ib m tivoli access mgr for business integration v3.9.1 implmn*

- [000-484](#) *enterprise connectivity with j2ee v1.3*

- [000-834](#) *Object Oriented Analysis and Design-Part2(Design)*

- [000-971](#) *System i Administrator V5.07.11*

- [000-021](#) *IBM Tivoli Workload Scheduler V8.5 Implementation*

- [000-734](#) *DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows*

- [000-705](#) *business intelligence solutions v8.1*

- [000-631](#) *rational-clearcase for unix*

Other IBM Exams

- | | | | | | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| <u>000-070</u> | <u>000-002</u> | <u>000-703</u> | <u>000-731</u> | <u>000-141</u> | <u>000-P01</u> | <u>000-920</u> | <u>006-002</u> |
| <u>000-938</u> | <u>000-750</u> | <u>000-M21</u> | <u>000-904</u> | <u>000-209</u> | <u>000-888</u> | <u>000-995</u> | <u>000-376</u> |
| <u>000-252</u> | <u>000-208</u> | <u>000-935</u> | <u>000-901</u> | | | | |